

TEFCOLD[®]



2019-2020



TEFCOLD TFW365-2F

Wine cooler with 2 temperature zones.
Elegant and frameless wine cooler for all types of wine.



COOLERS



ECO-FRIENDLY
REFRIGERANT R600a


Wine Coolers



Strong handle



Presentation shelves available
as option



155

TFW365-2F

Wine Cooler

- Frameless glass door
- Curved stainless steel handle
- 2 temperature zones
- LED interior light
- Wooden shelves
- Reversible door
- Tinted glass door for protection of wine

D

DID YOU KNOW?

Our wine coolers range also offers cabinets with two temperature zones for storing different types of wine at the same time.



38

TFW160-2F

Wine Cooler

- Frameless glass door
- Curved stainless steel handle
- 2 temperature zones
- LED interior light
- Wooden shelves
- Reversible door
- Tinted glass door for protection of wine

B



110

TFW265-2F

Wine Cooler

- Frameless glass door
- Curved stainless steel handle
- 2 temperature zones
- LED interior light
- Wooden shelves
- Reversible door
- Tinted glass door for protection of wine

C

MODEL		TFW160-2F	TFW160F	TFW265-2F	TFW365-2F	TFW375F
Wine Bottles 750 ml	pcs	38	45	110	155	168
Gross / Net Volume	l	155 / 131	155 / 141	270 / 250	370 / 350	370 / 350
Gross / Net Weight	kg	49 / 48	49 / 48	95 / 83	112 / 108	112 / 108
Climate Class		4	4	4	4	4
Temperature Range	°C	5 to 10	5 to 18	5 to 10	5 to 10	5 to 18
Temperature Range 2	°C	10 to 18	-	10 to 18	10 to 18	-
Door Number & Type		1 hinged frameless door	1 hinged frameless door	1 hinged frameless door	1 hinged frameless door	1 hinged frameless door
Reversible door		Yes	No	Yes	Yes	Yes
Shelves Number & Type		6 wooden wine shelves	4 wooden wine shelves	10 wooden wine shelves	14 wooden wine shelves	15 wooden wine shelves
Interior Light		LED	LED	LED	LED	LED
Feet / Legs		4 adjustable feet	4 adjustable feet	4 adjustable feet	4 adjustable feet	4 adjustable feet
Exterior Finish		Black	Black	Black	Black	Black
Interior Finish		Black ABS	Black ABS	Black ABS	Black ABS	Black ABS
Lock		No	No	No	No	No
Thermometer		Yes	Yes	Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic	Electronic	Electronic
Noise Level	db(A)	40	40	40	40	40
Type of Cooling		Fan assisted	Fan assisted	Fan assisted	Fan assisted	Fan assisted
Type of Defrost		Automatic	Automatic	Automatic	Automatic	Automatic
Refrigerant		R600a	R600a	R600a	R600a	R600a
Refrigerant Charge	g	35	35	60	60	60
Input Power	W	160	160	155	220	220
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	0,54	0,4	0,76	0,92	0,92
Energy Classification		B	A	C	D	D
Internal Dimension (WxDxH)	mm	520 x 445 x 605	520 x 445 x 605	510 x 540 x 1130	510 x 540 x 1500	510 x 540 x 1500
External Dimension (WxDxH)	mm	595 x 570 x 820	595 x 570 x 820	595 x 677 x 1390	595 x 680 x 1760	595 x 680 x 1760
Packed Dimension (WxDxH)	mm	670 x 670 x 880	670 x 670 x 880	650 x 750 x 1590	650 x 760 x 2000	650 x 760 x 2000
40ft Container Load	pcs	108	108	54	54	54



COOLERS



ECO-FRIENDLY
REFRIGERANT R600a


Wine Coolers



Wooden drawing shelves



Presentation shelves available
as option



TFW365-2S

Wine Cooler

- Hinged glass door
- 2 temperature zones
- LED interior light
- Wooden shelves
- Stainless steel door frame and handle
- Tinted glass door for protection of wine
- Reversible door
- Adjustable feet

D



TFW160S
Wine Cooler



45

- Hinged glass door
- 1 temperature zone
- Wooden shelves
- Stainless steel door frame and handle
- Tinted glass door for protection of wine



TFW80S
Wine Cooler



18

- Hinged glass door
- 1 temperature zone
- Wooden shelves
- Stainless steel door frame and handle
- Reversible door



MODEL		TFW160-2S	TFW160S	TFW365-2S	TFW375S	TFW80S
Wine Bottles 750 ml	pcs	38	45	155	168	18
Gross / Net Volume	l	155 / 131	155 / 141	370 / 350	370 / 350	80 / 57
Gross / Net Weight	kg	49 / 48	49 / 48	112 / 108	112 / 108	31 / 29
Climate Class		4	4	4	4	4
Temperature Range	°C	5 to 10	5 to 18	5 to 10	5 to 18	5 to 18
Temperature Range 2	°C	10 to 18	-	10 to 18	-	-
Door Number & Type		1 hinged glass door	1 hinged glass door	1 hinged glass door	1 hinged glass door	1 hinged glass door
Reversible door		Yes	Yes	Yes	Yes	Yes
Shelves Number & Type		6 wooden wine shelves	4 wooden wine shelves	14 wooden wine shelves	15 wooden wine shelves	6 wooden wine shelves
Interior Light		LED	LED	LED	LED	LED
Feet / Legs		4 adjustable feet	4 adjustable feet	4 adjustable feet	4 adjustable feet	4 adjustable feet
Exterior Finish		Black	Black	Black	Black	Black
Interior Finish		Black ABS	Black ABS	Black ABS	Black ABS	Black ABS
Lock		No	No	Yes	Yes	No
Thermometer		Yes	Yes	Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic	Electronic	Electronic
Noise Level	db(A)	40	40	40	40	40
Type of Cooling		Fan assisted	Fan assisted	Fan assisted	Fan assisted	Fan assisted
Type of Defrost		Automatic	Automatic	Automatic	Automatic	Automatic
Refrigerant		R600a	R600a	R600a	R600a	R600a
Refrigerant Charge	g	35	35	60	60	25
Input Power	W	160	160	220	220	90
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	0,54	0,4	0,92	0,92	0,38
Energy Classification		B	A	D	D	A
Internal Dimension (WxDxH)	mm	520 x 445 x 605	520 x 445 x 605	510 x 540 x 1500	510 x 540 x 1500	227 x 492 x 658
External Dimension (WxDxH)	mm	595 x 570 x 820	595 x 570 x 820	595 x 680 x 1760	595 x 680 x 1760	295 x 570 x 860
Packed Dimension (WxDxH)	mm	670 x 670 x 880	670 x 670 x 880	650 x 760 x 2000	650 x 760 x 2000	340 x 650 x 920
40ft Container Load	pcs	108	108	54	54	216



COOLERS



ECO-FRIENDLY
REFRIGERANT R600a

Wine Coolers



Integrated handle



Lock



TFW365-2

Wine Cooler

- Hinged glass door with black door frame
- 2 temperature zones
- LED interior light
- Wooden shelves
- Tinted glass door for protection of wine
- Reversible door
- Adjustable feet

D



168

TFW375

Wine Cooler

- Hinged glass door with black door frame
- 1 temperature zone
- LED interior light
- Wooden shelves
- Tinted glass door for protection of wine
- Reversible door
- Adjustable feet

D

MODEL		TFW365-2	TFW375
Wine Bottles 750 ml	pcs	155	168
Gross / Net Volume	l	370 / 350	370 / 350
Gross / Net Weight	kg	112 / 108	112 / 108
Climate Class		4	4
Temperature Range	°C	5 to 10	5 to 18
Temperature Range 2	°C	10 to 18	-
Door Number & Type		1 hinged glass door	1 hinged glass door
Reversible door		Yes	Yes
Shelves Number & Type		14 wooden wine shelves	15 wooden wine shelves
Interior Light		LED	LED
Feet / Legs		4 adjustable feet	4 adjustable feet
Exterior Finish		Black	Black
Interior Finish		Black ABS	Black ABS
Lock		Yes	Yes
Thermometer		Yes	Yes
Type of Controller		Electronic	Electronic
Noise Level	db(A)	40	40
Type of Cooling		Fan assisted	Fan assisted
Type of Defrost		Automatic	Automatic
Refrigerant		R600a	R600a
Refrigerant Charge	g	60	60
Input Power	W	220	220
Voltage / Frequency	V/Hz	220-240/50	220-240/50
Energy Consumption	kWh/24h	0,92	0,92
Energy Classification		D	D
Internal Dimension (WxDxH)	mm	510 x 540 x 1500	510 x 540 x 1500
External Dimension (WxDxH)	mm	595 x 680 x 1760	595 x 680 x 1760
Packed Dimension (WxDxH)	mm	650 x 760 x 2000	650 x 760 x 2000
40ft Container Load	pcs	54	54



COOLERS



ECO-FRIENDLY
REFRIGERANT R600a

Wine Coolers



Adjustable shelves



Presentation shelves available
as option



CPP1380-I

Wine Cooler

- Reversible solid door
- 1 temperature zone
- Adjustable shelves
- Black interior and exterior
- Adjustable feet



118

CPV1380-I

Wine Cooler

- Hinged glass door
- 1 temperature zone
- LED light
- Adjustable shelves
- Tinted glass door for protection of wine
- Reversible door
- Black interior and exterior
- Adjustable feet



22

SC85-I BLACK

Wine Cooler

- Hinged glass door
- LED interior light
- Curved reversible tinted glass door
- Chromium wine shelves
- Black interior and exterior
- Adjustable feet

MODEL	CPP1380-I	CPV1380-I	SC85-I BLACK
Wine Bottles 750 ml	pcs 118	118	22
Gross / Net Volume	l 372 / 350	372 / 350	92 / 85
Gross / Net Weight	kg 79 / 72	83 / 78	38 / 33
Climate Class	4	4	4
Temperature Range	°C 6 to 18	6 to 18	2 to 10
Door Number & Type	1 hinged solid doors	1 hinged glass door	1 hinged tinted curved glass
Reversible door	Yes	Yes	Yes
Shelves Number & Type	6 wooden wine shelves	6 wooden wine shelves	4 wire wine shelves
Shelf Dimensions	490 x 360 mm	490 x 360 mm	
Interior Light	No	LED	LED
Feet / Legs	2 adjustable feet	2 adjustable feet	4 adjustable feet
Castors	2 rollers	2 rollers	
Exterior Finish	Black	Black	Black
Interior Finish	Black ABS	Black ABS	Black ABS
Lock	Yes	Yes	Yes
Thermometer	Yes	Yes	No
Type of Controller	Mechanical	Mechanical	Mechanical
Noise Level	db(A) 42	42	40
Type of Cooling	Static	Static	Static
Type of Defrost	Automatic	Automatic	Automatic
Refrigerant	R600a	R600a	R600a
Refrigerant Charge	g 70	70	28
Input Power	W 180	180	165
Voltage / Frequency	V/Hz 220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h 0,8	0,86	0,66
Internal Dimension (WxDxH)	mm 470 x 440 x 1555	470 x 440 x 1555	410 x 415 x 630
External Dimension (WxDxH)	mm 595 x 640 x 1840	595 x 640 x 1840	503 x 567 x 775
Packed Dimension (WxDxH)	mm 680 x 710 x 1940	680 x 710 x 1940	570 x 610 x 810
40ft Container Load	pcs 54	54	228



COOLERS



ECO-FRIENDLY
REFRIGERANT R600a

Wine Dispensers



2 taps



Adjustable shelves

DKS95-2/20L-I

Wine Dispenser

- Reversible solid door
- For BiB wine 2x20 l.
- Stainless steel interior
- Stainless steel shelves
- Taps for both serving in wine glass and decanter
- Bordeaux exterior
- Adjustable feet



DKS95-3/10L-I Wine Dispenser

- Reversible solid door
- For BiB wine 3x10 l.
- Stainless steel interior
- Stainless steel shelves
- Taps for both serving in wine glass and decanter
- Bordeaux exterior
- Adjustable feet

MODEL	DKS95-2/20L-I	DKS95-3/10L-I
10 l BIB	pcs	3
20 l BIB	pcs	2
Gross / Net Volume	l 112 / 102	90 / 80
Gross / Net Weight	kg 44 / 40	40 / 36
Climate Class	4	4
Temperature Range	°C 3 to 9	3 to 9
Door Number & Type	1 hinged solid doors	1 hinged solid doors
Reversible door	No	No
Shelves Number & Type	2 SS304 shelves	3 SS304 shelves
Shelf Dimensions	290 x 430 mm	250 x 350 mm
Interior Light	No	No
Feet / Legs	4 adjustable feet	4 adjustable feet
Exterior Finish	Red RAL3005	Red RAL3005
Interior Finish	SS304	SS304
Lock	No	No
Thermometer	No	No
Type of Controller	Mechanical 3-9 °C	Mechanical 3-9 °C
Noise Level	db(A) 40	40
Type of Cooling	Static	Static
Type of Defrost	Automatic	Automatic
Refrigerant	R600a	R600a
Refrigerant Charge	g 30	30
Input Power	W 80	80
Voltage / Frequency	V/Hz 220-240/50	220-240/50
Energy Consumption	kWh/24h 0,7	0,7
Internal Dimension (WxDxH)	mm 295 x 495 x 805	255 x 415 x 825
External Dimension (WxDxH)	mm 392 x 595 x 1120	350 x 455 x 1145
Packed Dimension (WxDxH)	mm 430 x 660 x 1180	400 x 600 x 1200
40ft Container Load	pcs 180	240